

EXPLORER PIPELINE COMPANY

LOCAL PIPELINE TARIFF

CONTAINING REGULAR RATES, VOLUME INCENTIVE RATES, SPECIALTY
PRODUCT RATES, BID RATES AND DISCOUNT RATES

APPLYING ON THE TRANSPORTATION OF

PETROLEUM PRODUCTS

AS DEFINED IN ITEM NO. 5 HEREIN SUPPLEMENTS THERETO AND
SUCCESSIVE ISSUES THEREOF.

FROM	TO
POINTS IN LOUISIANA, TEXAS OKLAHOMA AND ILLINOIS	POINTS IN TEXAS, OKLAHOMA, MISSOURI, ILLINOIS AND INDIANA

THE RATES NAMED IN THIS TARIFF APPLY ON INTRASTATE AND INTERSTATE TRANSPORTATION OF PETROLEUM PRODUCTS BY PIPELINE, SUBJECT TO THE RULES AND REGULATIONS PUBLISHED HEREIN.

THE RATES NAMED IN THIS TARIFF ARE MARKET-BASED RATES PURSUANT TO THE COMMISSION'S ORDER ON APPLICATION FOR MARKET POWER DETERMINATION, EXPLORER PIPELINE COMPANY, DOCKET NO. OR99-1-000, ISSUED JUNE 30, 1999.

The provisions published herein will, if effective, not result in an effect on the quality of the human environment.

ISSUED ON 4 DAYS NOTICE UNDER AUTHORITY OF 18 CFR § 341.14 (SPECIAL PERMISSION). THIS TARIFF PUBLICATION IS CONDITIONALLY ACCEPTED SUBJECT TO REFUND PENDING 30-DAY REVIEW PERIOD.

ISSUED: February 24, 2010	EFFECTIVE: March 1, 2010
ISSUED BY	COMPILED BY
RODNEY E. SANDS, PRESIDENT & CEO	CURTIS L. CRAIG, V.P. & GENERAL COUNSEL

EXPLORER PIPELINE COMPANY
6846 SOUTH CANTON AVENUE
P. O. BOX 2650
TULSA, OK 74101-2650
(918) 493-5100
www.expl.com

TABLE OF CONTENTS

	ITEM NO.	PAGE NO.
Abbreviations, Explanation of	-	25
API Gravity – Defined	5	5
Applicable Rates	55	10
ASTM Color – Defined	5	5
Barrel – Defined	5	5
Batch – Defined	5	5
Batch, Joint	5	5
Batch, Minimum	15	7
Bid Capacity – Defined	5	5
Bid Rates	113	18
Capacity, Pipeline, Proration of	90	13
Carrier Cycles – Defined	5	5
Carrier – Defined	5	5
Charges, Transportation, Assessment of	60	10
Charges, Transportation, Payment of	60	10
Claims, Time Limitation on	80	13
Commodity Accepted	10	7
Consignee – Defined	5	5
Corrections, Volume	45	10
Corrosion Inhibitors	85	13
Cycles, Carrier – Defined	5	5
Definitions	5	5
Delivery Adjustments	75	12
Delivery at Destination, Failure to Accept	35	9
Delivery at Destination, Minimum	20	7
Delivery at Intermediate Destination, Restriction on	20	7
Delivery Final	20	7
Delivery of Commingled Product	75	12
Destination, Disposition of Shipment for Failure to Accept	35	9
Destination Facilities	35	9
Destination, Minimum Delivery at	20	7
Discount Capacity – Defined	5	5
Discount Rates	114	18
Disposition of Commingled Product	75	12
Disposition of Products on Failure to Accept Delivery	35	9
Diversion or Reconsignment	50	10
Explanation of Abbreviations	-	27
Facilities at Destination	35	9
Facilities at Origin	35	9
Final Delivery – Defined	5	5
Flexible Capacity Rates	111	17
Fungible Batch – Defined	5	5
[N] Grade 1B, Natural Gasoline – Defined	5	5
Grade 14, Natural Gas – Defined	5	5
Grade 15, Alkylate – Defined	5	5
Grade 16, Reformate – Defined	5	5
Grade 17, ISO Octane – Defined	5	5

	ITEM NO.	PAGE NO.
Grade 18, Rafinate – Defined	5	5
Grade 19, Toluene – Defined	5	5
Grade 7H Magellan High Sulfur Diesel	5	5
Grade 50, JP-8 – Defined	5	5
Grade 80, Light Cycle Oil – Defined	5	6
Gravity and Quality, Variations in	30	8
In Transit Storage Tankage	100	14
Incentive Volume Rates To Griffith and Hammond, Indiana	110	15
Intent to Ship, Notice of	25	8
Interface Mixture Defined	5	6
Intermediate Points, Application of Rates	115	19
Iso Octane - Defined	5	6
Jet Fuel – Defined	5	6
Jet Fuel Volume Incentive Rates	116	19
Liability	65	11
Measuring, Volume Correction and Tender Deduction	45	10
Minimum Batch	15	7
Minimum Bid – Defined	5	6
Minimum Delivery at Destination	20	7
Naphtha	5	6
Notice of Diversion or Reconsignment Required	50	10
Notice of Intent to Ship	25	8
Origin Facilities	35	9
Payment of Transportation Charges	60	10
Petroleum Products Defined	5	6
Petroleum Products, Specifications	10	7
Pipeline Contracts Required	40	9
Proration of Pipeline Capacity	90	13
Quality and Gravity, Variations in	30	8
Quantities	15	7
Rates, Application of, Intermediate Points	115	19
Rates, Table of Bid Rates (Part V)	-	26
Rates, Table of Discount Rates (Part IIIA)	-	24
Rates, Table of Regular Rates (Part III)	-	23
Rates, Table of Volume Incentive (Part I)	-	21
[W] Rates, Table of Specialty Product Rates (Part IV)	-	25
Rates, Volume Incentive To Griffith & Hammond, Indiana	110	15
Rates, Table of Jet Fuel Volume Incentive (Part II)	-	22
Reconsignment	50	27
Reference Marks, Explanation of	-	27
Reformate, Defined	5	6
Regular Capacity – Defined	5	6
Routing	125	20
Schedules, Shipping	25	8
Segregation	30	8
Segregated Batch Defined	5	5
Shipment Defined	5	6
Shipper Defined	5	6
Shipping Schedules	25	8
Shippers Manual – Defined	5	6

	ITEM NO.	PAGE NO.
[W] Specialty Product Rates	112	17
Specifications	10	7
Storage In Transit	95	13
Suits, Time Limitations on	80	13
System Map	-	28
Tax Registration	120	20
Tender Deductions, Measuring and Volume Correction	45	10
Time Limitations on Claims	80	13
Title	70	12
Toluene	5	6
Transshipment and Delivery at Hammond, Indiana	105	14
Variations in Quality and Gravity	30	8
Volume Corrections, Measuring and Tender Deductions	45	10
Volume Incentive Rates	110	15

Item No. 5-A Cancels Item No. 5 DEFINITIONS
--

As used in these rules and regulations, the following terms have the following meanings:

"API Gravity" means gravity determined in accordance with ASTM Designation D-287-92 or latest revision thereof.

"ASTM Color" means color determined by the ASTM Standard method of test ASTM Designation D-1500-91 or latest revision thereof.

"Barrel" means 42 United States gallons at 60 degrees Fahrenheit and zero psi gauge.

"Batch" means a quantity of petroleum product of like specifications moved through the pipeline as an identifiable unit.

"Segregated Batch" means a batch identifiable as the property of a single Shipper, and moved through the pipeline so as to maintain this singular identity and ownership.

"Joint Batch" means two or more batches of petroleum product moved as one single identifiable unit which is joined by the Carrier for movement and identification by order and authority of the participating Shippers. Carrier does not prescribe specifications for joint batches.

"Fungible Batch" means a batch of petroleum product meeting Carrier's specifications *as set forth in the Shippers Manual*, which may be commingled with other batches of petroleum product meeting the same specifications.

"Bid Capacity" shall mean up to 10% of each mainline segment's capacity.

"Carrier" means Explorer Pipeline Company and other participating pipelines, if any.

"Carrier cycles" are ten (10) days each commencing with cycle 1 beginning approximately January 1st of each year.

"Consignee" means the party to whom a Shipper has ordered the delivery of petroleum product.

"Discount Capacity," means pipeline capacity available after allocation of Bid and Regular Capacity.

"Final Delivery" means a delivery of a batch or the remainder thereof so that the batch is completely removed from the mainline and held in either Carrier's tankage or consignee's facilities or delivered into the facilities of other Carriers.

[N] "Grade 1B" means natural gasoline to be used as a Diluent.

"Grade 14" means natural gasoline which is moved through the pipeline as a segregated batch.

"Grade 15" means alkylate which is a blend stock which is moved through the pipeline as a segregated batch.

"Grade 18" means rafinate which is moved through the pipeline as a segregated batch.

Item No. 5-A Cancels Item No. 5 DEFINITIONS (Continued)

“Grade 50, JP-8” means Jet Fuel, JP-8 “Military”.

“Grade 7H, Magellan” means a dyed, fungible, high sulfur diesel which is moved through the pipeline for delivery to Magellan Pipe Line.

“Grade 80, Light Cycle Oil” means an un-dyed, heavy petroleum oil distillate which is moved through the pipeline as a segregated batch.

”Jet Fuel” means aviation fuel, except for JP-8, Military Jet Fuel, which is kerosene based and meets Carrier’s fungible specifications, as set forth in the Shippers Manual.

"Interface Mixture" is that mixture which occurs in normal pipeline operations between batches of petroleum products having different specifications.

“Iso Octane” a blend/feed stock that moves through the pipeline as a segregated batch.

“Minimum Bid,” means the lowest positive incremental rate per barrel, relative to the applicable regular or specialty rate, that will be accepted in accordance with Item No. 113 Bid Rates.

“Naphtha” is a blend/feed stock that moves through the pipeline as a segregated batch.

"Petroleum Products" means gasolines and petroleum oil distillates or blend stocks as further described in Item 10.

“Reformate” a blend/feed stock that moves through the pipeline as a segregated batch.

“Regular Capacity,” means pipeline capacity available after allocation of Bid Capacity.

"Shipment" means a volume of products offered to and accepted by Carrier for transportation.

"Shipper" means the party who contracts with the Carrier for transportation or storage of petroleum products under the terms of this tariff.

“Shippers Manual” means the document, updated periodically, provided to Shippers containing detailed information and procedures related to transportation of Petroleum Products on Carrier’s facilities.

“Toluene” is a blend/feed stock that moves through the pipeline as a segregated batch.

Item No. 10-A Cancels Item No. 10**SPECIFICATIONS**

(a) Carrier shall have no obligation to accept petroleum products for transportation hereunder unless such products are free from water and other impurities; have a color not darker than No. 3 ASTM (except that gasolines to which artificial coloring has been added will be accepted for transportation regardless of color); have a vapor pressure not more than 15 pounds absolute at 100 degrees Fahrenheit; have an API gravity at 60 degrees Fahrenheit, not less than 20 degrees and not more than 80 degrees; a viscosity not more than 4.3 centistokes at 100 degrees Fahrenheit; and meet all required specifications as uniformly established and published in the Shippers Manual. Specifications are detailed in Section 3 of the Shipper's Manual and are dated **[W]** ~~September 1, 2009~~ January 1, 2010. Copies of the Shipper's Manual will be provided to Shippers upon request or may be accessed through the Carrier's website at www.explorerpipeline.com.

(b) Carrier will require the Shipper to furnish certified laboratory reports showing the results of tests of the petroleum products offered for transportation. Carrier may also make such tests of the petroleum products as it deems necessary.

(c) Petroleum products containing blending components other than pure hydrocarbons or that pose a personal health hazard to Carrier's employees are not acceptable for transportation unless Shipper notifies Carrier of the identification and concentration of such components and has received Carrier's agreement to transport such blended petroleum products before they enter Carrier's system. Shipper must report type and percent by volume of all non-hydrocarbon blending components.

Item No. 112-A Cancels Item No. 112**SPECIALTY PRODUCT RATES**

Rates set forth in Part IV of this tariff and successive issues thereof will apply to deliveries for any Shipper of specialty products as defined in this item. Specialty products will include petroleum products listed below and any other petroleum products that otherwise meet the Carrier's specifications as provided in Item 10, and have an API gravity of less than 30 degrees at 60 degrees Fahrenheit:

- (a) Grade 50, JP-8, Military Jet Fuel;
- (b) Grade 80, Light Cycle Oil;
- (c) Grade 7H, Magellan High Sulfur Diesel;
- (d) Grade 14, Natural Gasoline;
- (e) Grade 15, Alkylate;
- (f) Grade 18, Rafinate;
- (g) All grades of Naphtha;
- (h) Grade 19, Toluene;
- [W]** (i) Grade 16 Reformate; ~~and~~

[W] (j) Grade 17 Iso Octane; and

[N] (k) Grade 1B, Natural Gas.

Rates in Part III, Table of Regular Rates, shall apply to all other shipments.

TABLE OF BID RATES				
PART V – 4 Cancels PART V – 3				
Monthly Bid Capacity Summary.				
Rates in Cents per Barrel of 42 United States Gallons.				
APPLICATION OF RATES – See Item No. 113				
[W] For the Month of March, 2010				
<u>Mainline Segment</u>	<u>Volumes Bid</u> (BBLs/MO)	<u>Range of Bids</u> (CENTS/BBL)	<u>Market Clearing</u> <u>Rate*</u> (CENTS/BBL)	<u>Bid Capacity**</u> (BBLs/MO)
Southern Segment	[U] 0	[U] 0.0	[U] 0.0	[U] 1,800,000
Northern Segment	[U] 0	[U] 0.0 – [U] 0.0	[U] 0.0	[U] 1,300,000

EXPLANATION OF ABBREVIATIONS

F.E.R.C. Federal Energy Regulatory Commission
No. Number

EXPLANATION OF REFERENCE MARKS

- (1) Volume Incentive rates for a minimum of 15 million barrels annually committed to in writing.
- (2) Volume Incentive rates for a minimum of 10 million barrels annually committed to in writing.
- (3) Shipments to be scheduled compatible with Carrier's operations. Shipper must have tankage and other necessary facilities at Carrier's Houston Station.
- (4) Deliveries to Peotone, Illinois requires prior arrangement with Carrier for purposes of scheduling and quality control.
- (5) Any petroleum products that otherwise meets the Carrier's specifications as provided in Item 10, and has an API gravity at 60 degrees Fahrenheit of less than 30 degrees.
- (6) For information purposes, Carrier's points of origin Pasadena, Houston (Harris County) includes CITGO's points of origins Kinder Morgan Terminal Pasadena via Galena Park Station, Fauna Terminal, Lyondell Refining Co., NKA Houston Refining LP and Wynnewood Station (Harris County).
- (7) For information purposes, Carrier's point of destination, Grapevine, Tarrant County includes CITGO's point of destination, Arlington, Direct Fuels Terminal, Tarrant County.
- (8) For information purposes, Carrier's point of destination, Ft. Worth, Tarrant County includes CITGO's point of destination, CITGO Terminal, Ft. Worth, Tarrant County.

[W] Wording.

[U] Unchanged.

[N] New.

+ Intrastate application only.

Petroleum products will be transported through Carrier's facilities only as provided in these rules and regulations at the rates set forth in this tariff and successive issues thereof. For definition of carrier cycles see Item No. 5.

